














FEATURE FLOORS VOL.3

Area of Application (Low to Medium Traffic Areas)

- 
• Hotel
- 
• Bedroom
- 
• Cafeteria
- 
• Bathroom
- 
• Kitchen
- 
• Business
- 
• Shop
- 
• Restaurant
- 
• Living

Finish/Look


- Wood Look
- Metallic
- Color look
- Stone / Concrete Block look
- Texture Look
- 3D Undulation

Ceramic Fashion Studio is popularly known for designing and creating fashionable tiles that always stand apart from the rest and create an oomph factor. Carrying on with the legacy of our never-ending desire for innovation and bringing forward the trendiest of collections, we hereby present our latest launch FEATURE FLOORS VOL. 3. As the name suggests, we bring forward our third edition of this beautiful collection redefining yet again the standard norms associated with floor tiles. In this series, we are all set to break the stereotypes related to the floor tiles as it has robust, stylish and modern collection with a plethora of options in multiple finishes which are like never seen before. These are designed to perfection with rich attention to details and carries an intrinsic enigma that is guaranteed to woo the class. Gone are the times when style was restricted only to closets as CFS is all set to bring it to the surfaces with its newest collection and hence be known as trendsetter in the world of designer tiles.




CFF 6060056

CHIC BLU



CFF 6060057


CHIC ROSA



CFF 6060058


CHIC NERO





CFF 6060059

FORMAS MULTI




CFF 6060060

FORMAS AZUL





CFF 6060061 METALLICA BEIGE




CFF 6060062 METALLICA GREY





CFF 6060063


LISTELLO ASH




CFF 6060064


LISTELLO MOKA





CFF 6060065 HERITAGE VERDE CFF 6060066 HERITAGE AZUL CFF 6060067 HERITAGE COTTO





CFF 6060068

SLICK SILVER




CFF 6060069

SLICK GOLD



CFF 6060070

SLICK BRONZE





CFF 6060071



NEXA GRIGIO CFF 6060072



NEXA GIALLO CFF 6060073

NEXA ARANCIO





CFF 6060074

ARTE BOLD



CFF 6060075

ARTE SOMBRE





CFF 6060076

STELLA NOIR



CFF 6060077


STELLA VERDE






CFF 6060078

REGALE GOLD



CFF 6060079

REGALE BRONZE





CFF 6060080

TEXTILE AZURE



CFF 6060081

TEXTILE ARANCIO





CFF 6060082 WOODLANDS TEAK



CFF 6060083 WOODLANDS OAK





CFF 6060084 TERROSA BEIGE



CFF 6060085 TERROSA BLU





CFF 6060086



ARENA MIX CFF 6060087



ARENA COTTO CFF 6060088 ARENA GRIGIO





CFF 6060089

ORNATE VERDE



CFF 6060090

ORNATE COTTO



CFF 6060091

ORNATE AZUL





CFF 6060092


MARBELO NERO



CFF 6060093

MARBELO MOKA





CFF 6060094

NOVA BROWN























CFF 6060095

NOVA BLACK



TECHNICAL SPECIFICATION

DIMENSION & SURFACE QUALITY	International Specifications ISO 13006/EN 176 Group & IS 15622 : 2006	VALUE	METHOD OF TESTING
 Deviation In Length	±0.6%	±0.2%	ISO 10545 - 2
 Deviation In Thickness	±5%	±5%	ISO 10545 - 2
 Straightness Of Sides	±0.5%	±0.2%	ISO 10545 - 2
 Rectangularity	±0.6%	±0.3%	ISO 10545 - 2
 **Surface Flatness	±0.5%	±0.3%	ISO 10545 - 2
 Surface Quality	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles		ISO 10545 - 2
PHYSICAL & THERMAL PROPERTIES			
 Water Absorption	<0.5%	>0.2%	ISO 10545 - 3
 Mohs Hardness*	>6	Compliant	EN 101
 Modulus of Rupture	35 N/mm ²	>46 N/mm ²	ISO 10545 - 4
 Abrasion Resistance**	<175mm ³	<144 mm ³	ISO 10545 - 7
 **Skid Resistance (Friction Coefficient)	>0.4	>0.4	ISO 10545 - 17
 Breaking Strength	Min 1300 N	> 2000 N	ISO 10545 - 4
 Density (g/cc)	>2.0	>2.4	ISO 10545 - 3
 Frost Resistance	Required	Compliant	ISO 10545 - 9
 Thermal Shock Resistance	10 Cycles Min	Compliant	ISO 10545 - 9
 Thermal Expansion	<9 x 10 ⁻⁶	<6 x 10 ⁻⁶	ISO 10545 - 8
 Moisture Expansion	Nil	Nil	ISO 10545 - 10
CHEMICAL PROPERTIES			
 Chemical Resistance	No Damage	No Damage	ISO 10545 - 13
 Colour Resistance	No Damage	No Damage	DIN 51094
 Stain Resistance	Resistant	Resistant	ISO 10545 - 14

PACKING DETAILS							
Dimensions in MM	Thickness	Pieces/Box	Area Coverage/Box	KG/Box	Boxes/Pallet	SQM/Pallet	KGs/Pallet*
600 X 600	9 mm	3	1.08 sq. mtr	24 Kg (App.)	34	36.72	816(Appx.)

*Gross Weight

Note: It is strongly recommended to use spacers. Leave min 2MM gap between adjacent tiles to allow possible expansion as well as to enhance aesthetics of laying.

DISCLAIMER: Ceramic Fashion Studio reserves the rights to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications or aesthetic appearance of product/s contained in this catalogue at any time without any prior notice. The colors shown of products in this catalogue are purely illustrative and limited to printing process. Please refer actual product before final selection. The detail of sizes and color references should be verified for typographical errors.

SHREE AMBICA DECOPRINTS PVT. LTD. 766, 772-Rakanpur, Sola Santej Road, Ta. Kalol-382 721. (North Gujarat). India.
Email: info@ceramicfashionstudio.com Ph: +91 2764 286961-2-3

CERAMIC[®]
FASHION
STUDIO

www.ceramicfashionstudio.com

