

zero collection



GRANILLA MATT • GVT

→ 60x60cm → 30x60cm

AN ARTFUL AND
ELEGANT CREATION



WITNESS THE WONDERS OF NATURE THROW A LIGHT OF IMPRESSION

Nature has different elements, and to bring these elements to life, we have created tiles that draw inspiration from nature's serene aesthetics. These magnificent ceramic excellence seamlessly blend nature's timeless charm with spaces.

Whether it's floors, walls, or any other backsplash, the subdued elegance of these tiles brings a sense of grounding and authenticity to versatile settings.






INTRODUCTION

Infuse your space with a tranquil ambiance reminiscent of natural landscapes with the brand-new Zero Collection by Icon. These tiles mimic the earthy textures of stones, the soft sheen of sand dunes, or the gentle hues of weathered wood. These statement-making pieces are manufactured with the highest quality.

The matt surface of tiles in formats of 60x60cm & 30x60cm enhances the tactile appeal and offers a subtle sophistication, making them ideal for versatile settings.

60x60cm | 30x60cm
600x600mm | 300x600mm

GLAZED VITRIFIED TILES



INTRODUCING

ZERO
COLLECTION




INSPIRED BY THE ECCENTRICITIES OF RAW SUBSTANCES



Inspired by nature's raw substances, delve into their origins' eccentricities with captivating detail defined by tiles from the Zero Collection. The colors, texture, and feel let you experience the organic diversity of nature and its immersive beauty.


ICON
WORLD OF TILE



FINE PECULIARITIES

The tiles from Zero Collection offer enhanced durability and elegance in two exclusive sizes of 60x60cm and 30x60cm and 8.25mm thickness. These tiles can withstand the test of time and trends.

60x60cm
600x600mm | 30x60cm
300x600mm



GLAZED
VITRIFIED
TILES

▼
▲
8.25mm Thickness

A BREAKTHROUGH INVENTION OF MODERNITY

This breakthrough inventory in ceramics offers myriad of features and applicability, making it easy to decor spaces beyond ordinary and imagination.

Application Areas



Residential Areas



Commercial Areas



Railway Stations



Schools and Colleges



Hotels and Restaurants



Shops and Malls



Religious Places



Hospitals



Outdoor Area



Kitchen Area



Gym Area



Living Area

Features



Easy to Clean



Water Resistant



Resistant to Bending



Chemical and Stain Resistant



Scratch Resistant



Impact Resistant



Fire Resistant



Frost Resistant



Easy to Clean



Scratch Resistant



Fire Resistant




Frost Resistant

SETTING THE TONES OF SIMPLICITY

The vivid punch effects in earthy tones transcend your space into a sanctuary of wonder and delight, making it look spectacular.

■ SLATE STRUCTURE

META STONE



IMPRESSIVE

The understated elegance and captivating allure are impressive as these tiles bring with them the raw beauty of nature.

INDULGING

The tactility and untamed elements give you an indulging experience where each tile becomes a masterpiece.

■ RIVERSIDE STRUCTURE

KEY NOTE



BETON



SAND STAR



URBAN





Floor
META STONE SILVER \ 60x60cm

ZERO
COLLECTION

 **R 10**


META STONE SILVER



 **60x
60cm**  **30x
60cm**

Granilla Matt

Randoms - 8





Floor
META STONE GRIS \ 60x60cm


META STONE GRIS



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 8





Floor
META STONE GRIGIO \ 60x60cm


META STONE GRIGIO



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 8





Floor
META STONE NERO \ 60x60cm

META STONE NERO



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 8





Floor
KEY NOTE BEIGE \ 60x60cm


KEY NOTE BEIGE



 60x
60cm  30x
60cm

Granilla Matt


Randoms - 8





Floor
KEY NOTE GRIS \ 60x60cm


KEY NOTE GRIS



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 8





Floor
KEY NOTE GRAPHITE \ 60x60cm


KEY NOTE GRAPHITE



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 8





floor
BETON SILVER \ 60x60cm

ZERO
COLLECTION

 **R 10**


BETON SILVER



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 8





Floor
BETON GRIS \ 60x60cm


BETON GRIS



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 8





Floor
BETON TAUPE \ 60x60cm


BETON TAUPE



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 8





Floor
SAND STAR BEIGE \ 60x60cm

SAND STAR BEIGE



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 6





Floor
SAND STAR GRIS \ 60x60cm

ZERO
COLLECTION

 R 10

SAND STAR GRIS



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 6





Floor
SAND STAR NERO \ 60x60cm


SAND STAR NERO



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 6





Floor
URBAN GRIS \ 60x60cm


URBAN GRIS



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 6





Floor
URBAN SILVER \ 60x60cm

ZERO
COLLECTION

 **R 10**


URBAN SILVER



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 6





Floor
URBAN TAUPE \ 60x60cm


URBAN TAUPE



 60x
60cm  30x
60cm

Granilla Matt

Randoms - 6



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	MEAN VALUE OF ICON PGVT	MEAN VALUE OF ICON GVT	Method of Testing
REGULATORY PROPERTIES				
Deviation in length & width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Deviation in thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO-10545-2
Straightness in side	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	ISO-10545-2
Surface flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 40 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	Max. 6.5 x 10-6	ISO-10545-8
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb. & Cd.	Does not yield Pb. & Cd.	ISO-10545-15



PACKING DETAILS

Size	Normal Thickness	No. of Tiles/Box	Coverage Area/Box		Wt. of Box (approx)
60x60cm	8.25 mm	4 pcs	1.44 sq. mtr.	15.50 sq. ft.	27.30 kg



Unit - 1

ICON GRANITO PVT. LTD.

Survey No 8/P , 14, 41, 42, 43, 46/P1 , Old Ghuntu Road,
Mahendra Nagar, Morbi - 363 642, Gujarat, INDIA

Unit - 2

ACECON VITRIFIED PVT. LTD.

8-A National Highway, Matel Road, Matel,
Ta. Wankaner - 363 621 , Dist. Morbi, Gujarat, INDIA

Unit -3

DURACON VITRIFIED PVT. LTD.

8-A National Highway, Sartanpar Road,
Tal. Wankaner - 363 621 , Dist. Morbi, Gujarat, INDIA
Contact No. 87587 45000

Unit - 4

ERACON VITRIFIED PVT. LTD.

8-A National Highway, Matel Road,
Morbi - 363 622, Gujarat, INDIA

+91 99099 09197, +91 99099 62666

bhargav@iconworldoffile.com
yatin@iconworldoffile.com

www.iconworldoffile.com

