



# KITCH STONE

COLLECTION

**800x2400mm**

15mm Thickness

## ABOUT COMPANY

Motto is one of the most dynamic & productive brands of the modern ceramic world that is brought to life by a visionary person Mr. Mahendra Patel. Over the years the company has developed manyfold.

Since 2004 - the inception year, to today we have expanded our reach to national & international arenas with a capillary presence in more than 70+ countries with 2500 satisfied customers.

## QUALITY AND PRODUCTION

Motto stands out in the industry with its commitment to delivering high-quality tiles and slabs made from the highest quality raw materials and released in the market after undergoing stringent quality checks. Each tile and slab is meticulously tested to ensure it meets the highest standards of durability and aesthetic properties, providing customers with reliable and visually stunning options for their projects.

Finest skills clubbed with state of the art technology have helped us to carve a niche, which is stamped by authorities as we are ISO 9001 : 2018 Certified. Overall the company has marked its position as the leading Manufacturer, Exporter and Supplier of the exquisite Ceramic Porcelain Tiles for Wall & Floor.

AT MOTTO, INNOVATION TAKES PRECEDENCE. STAYING AHEAD OF THE GAME, MOTTO EMPLOYS CUTTING-EDGE TECHNOLOGY IN THE INDUSTRY TO CRAFT PRODUCTS THAT SET BENCHMARKS AND PUSH THE BOUNDARIES OF QUALITY, DESIGN, AND INNOVATION, ENSURING EACH PRODUCT DEMARcate DEFINITION OF EXCELLENCE.





EXPERIENCE SURFACE INNOVATION  
FIRSTHAND AND THE PERFECT CONFLUENCE  
OF BEAUTY AND FUNCTIONALITY.

**01**  
**DIGI MATT 5.0**

Digi Matt 5.0 offers advanced surface solutions and is a worthy successor to the highly celebrated finish. The finish combines the practical aspect of matt finish with the aesthetic aspect of glossy surfaces. It delivers them in one finish with added strength and resilience for a wider range of applications.


**02**  
**DIGI MATT**

A perfect blend of understated luxury and practical functionality, the Digi Matt is an unrivaled champion in modern world surfaces. Applauded for its aesthetics and practicality, the exceptional finish combines a matt smooth feel with a luxurious sheen, offering the best of both worlds.


## COLOR BODY SERIES

### EDGE PROFILES


Motto's products are available in various colors and materials, all with one thing in common: They are designed to be strong and resilient and withstand load and wear over time. Crafted in 15mm thickness, the cutouts of the collection's slabs come out exceptional, and the edges of these slabs can be designed to give them the desired edge profile to offer your spaces added safety, security, design, and aesthetic sophistication.



### Joint Possibilities



### APPLICATION POSSIBILITIES





**DIGI MATT**



**Cyprus  
Grigio**

**COLOR BODY  
SERIES**

Size	<b>800x2400mm</b>
Finish	<b>Digi Matt 5.0</b>
Body	<b>Grey</b>
Thickness	<b>15mm</b>
Endless	<b>2 Phase</b>



Italian Technology |  FLEXIBLE BODY





**DIGI MATT**



**Cyprus  
Silver**

**COLOR BODY  
SERIES**

Size	<b>800x2400mm</b>
Finish	<b>Digi Matt 5.0</b>
Body	<b>Grey</b>
Thickness	<b>15mm</b>
Endless	<b>2 Phase</b>



Italian Technology |  FLEXIBLE BODY



DIGI MATT

KITCH  
STONE



**DIGI MATT**



**Antique  
Grey**

**COLOR BODY  
SERIES**

Size	<b>800x2400mm</b>
Finish	<b>Digi Matt</b>
Body	<b>Grey</b>
Thickness	<b>15mm</b>
Endless	<b>3 Phase</b>



Italian Technology |  FLEXIBLE BODY



DIGI MATT



KITCH  
STONE




**DIGI MATT**



Pietra  
Grey

**COLOR BODY**  
SERIES

Size	800x2400mm
Finish	Digi Matt
Body	Grey
Thickness	15mm
Endless	3 Phase




Italian Technology |  FLEXIBLE BODY






**DIGI MATT**



**Delight  
Marquina**

**COLOR BODY  
SERIES**

Size	800x2400mm
Finish	Digi Matt
Body	Black
Thickness	15mm
Endless	3 Phase



Italian Technology |  FLEXIBLE BODY




DIGI MATT



KITCH  
STONE




**DIGI MATT**



**Laurent  
Black**

**COLOR BODY**  
SERIES

Size	800x2400mm
Finish	Digi Matt
Body	Black
Thickness	15mm
Endless	3 Phase



Italian Technology |  FLEXIBLE BODY



DIGI MATT



KITCH  
STONE



**DIGI MATT**



**Magnifica  
Black**

**COLOR BODY**  
SERIES

Size	800x2400mm
Finish	Digi Matt
Body	Black
Thickness	15mm
Endless	2 Phase

SCAN FOR  
VIRTUAL  
360°



Italian Technology |  FLEXIBLE BODY





**DIGI MATT**



**Oak  
Wood**

**COLOR BODY**  
SERIES

Size	800x2400mm
Finish	Digi Matt 5.0
Body	Walnut
Thickness	15mm
Endless	1 Phase




Italian Technology |  FLEXIBLE BODY



DIGI MATT





**DIGI MATT**



**Crystalized  
White**

**COLOR BODY  
SERIES**

Size	800x2400mm
Finish	Digi Matt 5.0
Body	White
Thickness	15mm
Endless	3 Phase




Italian Technology |  FLEXIBLE BODY






**DIGI MATT**



**Staturio Astra  
Gold**

**COLOR BODY**  
SERIES

Size	800x2400mm
Finish	Digi Matt 5.0
Body	White
Thickness	15mm
Endless	3 Phase



Italian Technology | FLEXIBLE BODY





**DIGI MATT**



**Avlon  
Bianco**

**COLOR BODY  
SERIES**

Size	800x2400mm
Finish	Digi Matt 5.0
Body	White
Thickness	15mm
Endless	2 Phase



Italian Technology |  FLEXIBLE BODY



DIGI MATT

KITCH  
STONE




**DIGI MATT**



**Antalya  
White**

**COLOR BODY  
SERIES**

Size	<b>800x2400mm</b>
Finish	<b>Digi Matt</b>
Body	<b>White</b>
Thickness	<b>15mm</b>
Endless	<b>2 Phase</b>




Italian Technology |  FLEXIBLE BODY



DIGI MATT



**DIGI MATT**



**Calacatta  
Imperiale**

**COLOR BODY  
SERIES**

Size	800x2400mm
Finish	Digi Matt
Body	White
Thickness	15mm
Endless	3 Phase



Italian Technology | FLEXIBLE BODY






**DIGI MATT**



**Diamond  
Gold**

**COLOR BODY**  
SERIES


Size	800x2400mm
Finish	Digi Matt
Body	White
Thickness	15mm
Endless	3 Phase



Italian Technology | FLEXIBLE BODY



DIGI MATT



**DIGI MATT**

**Lasa  
Bianco**

**COLOR BODY**  
SERIES

Size	800x2400mm
Finish	Digi Matt
Body	White
Thickness	15mm
Endless	2 Phase



Italian Technology |  FLEXIBLE BODY



DIGI MATT

KITCH  
STONE



**DIGI MATT**



Michael  
Angelo

**COLOR BODY**  
SERIES

Size	800x2400mm
Finish	Digi Matt
Body	White
Thickness	15mm
Endless	2 Phase



Italian Technology | FLEXIBLE BODY



DIGI MATT



**DIGI MATT**



**Sahara  
White**

Size	800x2400mm
Finish	Digi Matt
Body	White
Thickness	15mm
Endless	2 Phase



**COLOR BODY  
SERIES**




Italian Technology |  FLEXIBLE BODY





**DIGI MATT**



**Silver Silk**

**COLOR BODY**  
SERIES

Size	800x2400mm
Finish	Digi Matt
Body	White
Thickness	15mm
Endless	1 Phase



SCAN FOR  
VIRTUAL  
360°




Italian Technology |  FLEXIBLE BODY



DIGI MATT

KITCH  
STONE




**DIGI MATT**




**Staturio  
Volkas**


**COLOR BODY  
SERIES**

Size	800x2400mm
Finish	Digi Matt
Body	White
Thickness	15mm
Endless	3 Phase



Italian Technology |  FLEXIBLE BODY





**DIGI MATT**



**Terrazzo  
White**

Size	800x2400mm
Finish	Digi Matt
Body	White
Thickness	15mm
Endless	1 Phase



SCAN FOR  
VIRTUAL  
360°



**COLOR BODY  
SERIES**



Italian Technology

FLEXIBLE BODY



DIGI MATT





KITCH  
STONE



## MANUALLY TRANSPORTING SLAB

Only for 1/4" Slabs

### MOVING A SLAB





### RAISING A IMMODERATE SLAB ONTO A BENCH



✗ INCORRECT

✓ CORRECT

### HANDLING IMMODERATE SLAB FOR WALL





✗ INCORRECT

✓ CORRECT



## WORKING WITH THE VARIOUS VERSIONS OF SLAB

### CUTTING WITH DIAMOND DISCS




Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). It may be required to cool the disc with water. Recommended discs are the thin types generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath.

### DRILLING



You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, or electrical drills as an alternative.

### INTERNAL CUT/L-SHAPED CUT





To get internal and L-shaped corners & to reduce the risk of breakage, cut 'o' at the vertex of the internal corners using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, and more follow the instructions provided below:

When using these tools:

- Cool the point being drilled with water
- Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
- If you are using tungsten bits, start drilling at a low speed
- If you are using drills or screwdrivers, do not select hammering mode

### EDGE-FINISHING




## INSTRUCTIONS FOR MANUAL INSTALLATION


### SINGLE LAYER METHOD



### DOUBLE-LAYER METHOD



### COMPRESSING THE SLAB



## IMPORTANT

All cutout corners must have a minimum diameter of 1/4". Never leave 90° angles. We recommend a radius of more than 1/4" when the kitchen design allows as it makes the countertop firmer.



✓ CORRECT



✗ INCORRECT



✗ INCORRECT



✗ INCORRECT

## CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Agents, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to be cleaned immediately, as soon as possible.

## TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/2018 En14411 gr.bl.a	MOTTO VALUE	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in Length & Width	± 0.5%	± 0.2%	ISO 10545-2
Deviation in Thickness	± 5%	± 5%	ISO 10545-2
Straightness of Sides	± 0.5%	± 0.2%	ISO 10545-2
Rectangularity	± 0.5%	± 0.2%	ISO 10545-2
Surface Flatness	± 0.5%	± 0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	As per Mfg.	Gloss Meter
<b>Regulatory Properties</b>			
Water Absorption	≤ 0.5 %	≤ 0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of Rupture	Min.35N/mm <sup>2</sup>	Min.40N/mm <sup>2</sup>	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 5000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
<b>Surface Mechanical Properties</b>			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Mohs Hardness	As per Mfg.	Min. class 4	BS EN 15771
<b>Massive Mechanical Properties</b>			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 × 10 <sup>-6</sup>	Max. 6.0 × 10 <sup>-6</sup>	ISO 10545-8
<b>Chemical Properties</b>			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
<b>Safety Properties</b>			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

## PACKING DETAILS

Dimension (mm)	No. of Pcs/Box	Square Feet	Weight (Approx)
800x2400mm	1 Pcs.	20.67 Sq. ft	68 kg.

**MOTTO<sup>®</sup>**

Tiles & Bathware

**MOTTO GROUP**

8-A, National Highway, Sartanpar Road, At. Sartanpar,  
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA

**Mail.** [info@mottogroup.in](mailto:info@mottogroup.in), **Web.** [www.mottogroup.in](http://www.mottogroup.in)

**Toll-free.** 1800 123 2124

**Call.** +91 95123 80072

Scan for Catalogue

