



# LAYERS OF EXCELLENCE



**TERRANOX**  
S E R I E S

600x600mm  
15mm Thickness / FULLBODY

TERRANOX /  
CATALOGUE '25

TERRANOX  
S E R I E S

MOTTO®  
Tiles & Bathware

## About Company

**Motto is one of the most dynamic & productive brands of the modern ceramic world that is brought to life by a visionary person Mr. Mahendra Patel. Over the years the company has developed manifold.**

**Since 2004 - the inception year, to today we have expanded our reach to national & international arenas with a capillary presence in more than 70+ countries with 2500 satisfied customers.**

Finest skills clubbed with state of the art technology have helped us to carve a niche, which is stamped by authorities as we are ISO 9001 : 2018 Certified. Overall the company has marked its position as the leading Manufacturer, Exporter and Supplier of the exquisite Ceramic Porcelain Tiles for Wall & Floor.

# Thoughtful Design Meets Minimalist Simplicity

The Terranox Series by Motto is thoughtfully crafted to cater to the demands of high-traffic spaces, requiring strength and resistance to the elements, such as sunlight, rain, and temperature fluctuations. These tiles are crafted with the finest materials and premium technology to deliver exceptional functionality, as well as a minimalist aesthetic that draws inspiration from nature.

These fullbody tiles are available in matt and punch matt surfaces, making them ideal for terraces, balconies, and pool surrounds for their anti-skid properties. Additionally, their textured surface appeals aesthetically while providing advanced stability. Their 15mm thickness provides enhanced resistance to impact, preventing them from cracking easily. These tiles are perfect for bringing a subdued elegance and simple charm to your spaces. Let your outdoors be as functional as they are pleasing.






Subtle Tones  
Pack  
Sophisticated  
Allure

## Surface Introduction

### Rippling Symmetry Creates Safe Spaces

Subtle patterns adorn the simple sophistication of matt surfaces, creating an enhanced textural experience. These patterns create the effect of rippling symmetry, which adds an element of order, enhances calm, and leaves a lasting impression. These patterns appeal in function and aesthetics, providing enhanced grip that makes your spaces safer.







# Engineered For Thoughtful Aesthetics

The Terranox Series is designed for exceptional performance in a wide range of applications. These tiles bring your vision to life with design flexibility, strength, and unmatched durability. Their fullbody design and dimensions make them suitable for high-traffic areas in both residential and commercial areas.


Their exceptional resistance to weathering and innovative design that enhances anti-skid properties ensure long-lasting aesthetics and enhanced safety. Get ready to create sleek, modern, and cozy spaces that invite you to relax.




ANTI - SLIP  
SURFACE




UV  
RESISTANT




STAIN  
RESISTANT




HIGH  
STRENGTH




NATURAL AND  
RECYCLABLE



IMPACT  
RESISTANT




LOW  
MAINTENANCE



CHEMICAL  
RESISTANT

# Application areas & Application possibilities



- 1. Pool Surrounds
- 2. Terrace & Rooftop Spaces
- 3. Indoor & Balcony Areas
- 4. Outdoor Patios & Decks
- 5. Walkways & Garden Paths




Table of  
Content



Terranox Mocha  
600x600mm



Terranox Rust  
600x600mm




Terranox Moss  
600x600mm



Terranox Silver  
600x600mm



Terranox Dove  
600x600mm



Terranox Iron  
600x600mm




Where  
Relaxation  
Meets  
Refinement






TERRANOX  
MOCHA

SIZE	600x600mm
THICKNESS	15mm
TYPE	Fullbody
SURFACE	Matt & Matt + Punch



TERRANOX  
MOCHA BUTTON



Scan for  
360° Preview











TERRANOX  
RUST

SIZE	600x600mm
THICKNESS	15mm
TYPE	Fullbody
SURFACE	Matt & Matt + Punch



TERRANOX  
RUST BUTTON




Scan for  
360° Preview










TERRANOX  
MOSS


SIZE	600x600mm
THICKNESS	15mm
TYPE	Fullbody
SURFACE	Matt & Matt + Punch



TERRANOX  
MOSS BUTTON




Scan for  
360° Preview












TERRANOX  
SILVER


SIZE	600x600mm
THICKNESS	15mm
TYPE	Fullbody
SURFACE	Matt & Matt + Punch



TERRANOX  
SILVER BUTTON



Scan for  
360° Preview












TERRANOX  
DOVE


SIZE	600x600mm
THICKNESS	15mm
TYPE	Fullbody
SURFACE	Matt & Matt + Punch



TERRANOX  
DOVE BUTTON



Scan for  
360° Preview





TERRANOX  
DOVE

TERRANOX /  
CATALOGUE '25








TERRANOX  
IRON


SIZE	600x600mm
THICKNESS	15mm
TYPE	Fullbody
SURFACE	Matt & Matt + Punch



TERRANOX  
IRON BUTTON



Scan for  
360° Preview










INSTRUCTIONS FOR  
MANUAL INSTALLATION


SINGLE LAYER METHOD



DOUBLE-LAYER METHOD



COMPRESSING THE SLAB



IMPORTANT

All cutout corners must have a minimum radius of 1/4". Avoid 90° angles. We recommend using a radius greater than 1/4" whenever the kitchen design allows, as it enhances the strength and durability of the countertop.



✓ CORRECT



✗ INCORRECT



✗ INCORRECT



✗ INCORRECT

CLEANING & MAINTENANCE

Our products are non-porous due to high-quality raw materials, stringent production parameters, and state-of-the-art technology. As a result, dust and waste cannot penetrate the surface.

In most cases, a damp cloth is sufficient for cleaning.

Regular cleaning enhances the aesthetic features of the surface and maintains its exceptional shine.

For more aggressive cleaning required by certain common foods and substances, please refer to the table below.

TYPES OF STAINS	CHEMICAL PRODUCTS	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Agents, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any stain be cleaned immediately for best results.


TECHNICAL  
SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	MOTTO VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	± 0.60%	± 0.10%	ISO 10545-2
Deviation in Thickness	± 5.00%	± 2.00%	ISO 10545-2
Straightness of Sides	± 0.50%	± 0.10%	ISO 10545-2
Rectangularity	± 0.60%	± 0.10%	ISO 10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO 10545-2
Glossiness	As per Mfg.	Min. 90%	Gloss Meter
Regulatory Properties			
Water Absorption	≤ 0.50 %	E ≤ 0.03 %	ISO 10545-3
Massive Mechanical Properties			
Breaking Strength	Min. 1300 N	Min. 5000 N	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	Max. 175mm	Max. 145mm²	ISO 10545-6
Mohs Hardness	Min. 6	≥6*	EN 101
Massive Mechanical Properties			
Frost Resistance	Frost Proof	Frost Proof	ISO 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO 10545-9
Moisture Expansion	Nil	Nil	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.0x10 <sup>-6</sup>	ISO 10545-8
Chemical Properties			
Resistance to House Hold Chemicals	No Damage	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance (Friction Co-efficient)	> 0.40	> 0.40	ISO 10545-17

PACKING  
DETAILS

Size (mm)	No. of Pcs/Box	Coverage Area / Box
600x600mm	2 Pcs.	7.75 Sq. ft





**MOTTO GROUP**

8-A, National Highway, Sartanpar Road, At. Sartanpar,  
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA

**Mail.** [info@mottogroup.in](mailto:info@mottogroup.in), **Web.** [www.mottogroup.in](http://www.mottogroup.in)

**Toll-free.** 1800 123 2124

**Call.** +91 95123 80072