

MOTTO®
Tile & Bathware

CHEVRON

600x1200mm



THE ART OF THE ANGLE

These striking chevron pattern with a beautifully textured finish, brings a dynamic yet grounded energy to any space. The classic V-shape is elevated by subtle variations in tone and surface, creating a rich visual tapestry that invites touch and adds a layer of sophisticated depth to modern interiors.

www.mottogroup.in



chevron series

Invest in flooring that stands the test of time and promotes a healthy space. The Chevron Series offers more than just striking aesthetics; it provides a foundation built on safety, sustainability, and resistance.

Designed for lasting beauty and peace of mind, this flooring is not only fireproof and hygienic, ensuring a healthy and secure environment, but also incredibly versatile, seamlessly adapting to various interior styles and spaces.



Safe



Sustainable



Resistente




Fireproof



Hygienic



Versatile



A RHYTHMIC SURFACE
CRAFT TO DELIVERS A TOUCH OF
MODERN CHARACTER.

A SENSE OF FLOW

It's a design that effortlessly blends classic appeal with contemporary style, creating spaces that feel both dynamic and refined.

Characterized by its distinctive V-shaped design, this series offers a visually captivating foundation for any space. Whether rendered in rich wood tones that highlight the natural grain or presented with a subtle texture that adds tactile interest, our chevron collection brings a sense of sophisticated movement and architectural detail to floors or walls.


chevron
series

**600x
1200mm**

Embrace the art of surface transformation with our Chevron Series. This collection redefines interior spaces, offering a unique blend of style and architectural detail.

Its transformative power and versatile design solution for both your floors and walls. This dynamic zigzag pattern creates a cohesive and stylish flow throughout your space, adding architectural interest to vertical and horizontal surfaces alike. Whether you desire a striking statement underfoot or a textured feature wall, the Chevron Series offers a modern and engaging aesthetic that unifies your interior design.

A STYLISH AND
VISUALLY APPEALING DESIGN




Wall Use




Floor Use

INDEX


chevron
series






CHEVRON COTTO



Random. 04
Size. **600x1200mm**
Finish. Matt + Punch









CHEVRON GRAVEL



Random. 06
Size. **600x1200mm**
Finish. Matt + Punch









CHEVRON GREY



Random. 04
Size. **600x1200mm**
Finish. Matt + Punch









CHEVRON PANTHER



Random, O6
Size, **600x1200mm**
Finish, Matt + Punch







CHEVRON SILVER



Random. 06
Size. **600x1200mm**
Finish. Matt + Punch





CLEANING & MAINTENANCE

Our products are non-porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Hercul
Lime	Acid	Descaling Agents, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Ice/Ink	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to be cleaned immediately, as soon as possible.

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-15006/2016 En5845 gr.21a	MOTTO VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	+0.2%	+0.2%	ISO 10045-2
Deviation in Thickness	+0%	+0%	ISO 10045-2
Straightness of Sides	+0.2%	+0.2%	ISO 10045-2
Rectangularity	+0.2%	+0.2%	ISO 10045-2
Surface Flatness	+0.2%	+0.2%	ISO 10045-2
Colour Difference	ΔE < 1.00	ΔE < 0.20	ISO 10045-10
Shrinkage	As per MPg	+0.7%	Glass Meter 02
Structural Properties			
Water Absorption	+0.2 %	+0.2%	ISO 10045-3
Apparent Density	As Per MPg	+0.20 g/cm	ISO 10045-3
Maxime Mechanical Properties			
Modulus of Rupture	Min. 2000N/cm ²	Min. 2000N/cm ²	ISO 10045-4
Breaking Strength	Min. 1800N	Min. 2000N	ISO 10045-4
Impact Resistance	As per MPg	Min. 1.10	ISO 10045-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per MPg	Min. class 5	ISO 10045-7
Moile Hardness	As per MPg	Min. class 4	ISO EN 15771
Thermo Hygroscopic Properties			
Frost Resistance	As Per MPg	Frost Proof	ISO 10045-10
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10045-8
Moisture Expansion	Max. 0.00mm/h	Max. 0.00mm/h	ISO 10045-10
Thermal Expansion	Max. 0.0 ± 10"	Max. 0.0 ± 10"	ISO 10045-8
Chemical Properties			
Chemical Resistance	As Per MPg	No Damage	ISO 10045-10
Stain Resistance	Resistant	Resistant	ISO 10045-10
Safety Properties			
Slip Resistance	As per MPg	R, S,	EN 13813
Fire Resistance	As per MPg	Fire Proof	R, A,

PACKING DETAILS

Dimension (mm)	No. of Pcs/Box	Square Feet
600x1200mm	2 Pcs	16.5 Sq. Ft.



MOTTO GROUP

8-A, National Highway, Sartanpar Road, At. Sartanpar,
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA.

Mail. info@mottogroup.in, **Web.** www.mottogroup.in

Toll-free. 1800 123 2124

Call. +91 95123 80072