


# SURREAL GEOMETRY ART



**KOTA**  
SERIES

600x1200mm  
[R10+Punch Finish]

KOTA SERIES /  
SURFACE BOOK '25

# KOTA SERIES

## About Company

**Motto is one of the most dynamic & productive brands of the modern ceramic world that is brought to life by a visionary person Mr. Mahendra Patel. Over the years the company has developed manyfold.**

**Since 2004 - the inception year, to today we have expanded our reach to national & international arenas with a capillary presence in more than 70+ countries with 2500 satisfied customers.**


Finest skills clubbed with state of the art technology have helped us to carve a niche, which is stamped by authorities as we are ISO 9001 : 2018 Certified. Overall the company has marked its position as the leading Manufacturer, Exporter and Supplier of the exquisite Ceramic Porcelain Tiles for Wall & Floor.

# Dynamic Format That Enhances The Look of Every Nook.

Introduce your spaces to the minimalistic beauty of 600x1200mm tiles crafted with modern designs to offer a trendy look that enhances the visual space in both residential and commercial interiors. Their elongated rectangular format reduces the number of grout lines and allows multiple laying formats. This size is ideal for creating a luxurious look in various spaces like hotel lobbies, large bathrooms, open-plan living rooms, and office spaces.

The 11mm thickness of these tiles ensures enhanced durability and strength, making them suitable for both high-traffic and demanding environments. This added thickness provides better resistance to wear, impact, and pressure, which is particularly beneficial in commercial spaces such as restaurants, delivering long-lasting performance without compromising on style.

# Thickness That Ensures Lasting Beauty.






Fusion  
Of Natural  
Tones &  
Modern  
Style.

## Ensuring Lasting Beauty With Premium Features.

Reimagine your spaces with the sophisticated beauty of these R10+Punch finish tiles. These tiles are designed with a unique mosaic of colors and textures that are an ode to natural tones and textures. These tiles feature more than seven unique punches that transform your spaces with textural depth, creating a sense of understated glamour.


These tiles are made from premium quality materials and utilize the latest technology to provide excellent functionality and impressive aesthetics. Their thick and durable exterior is resistant to impact, offering high strength, which makes them perfect for high foot traffic areas. With a matte finish and innovative engineering, these tiles have low water absorption and are easy to maintain, ensuring they remain in pristine condition for a long time.



LOW WATER  
ABSORPTION




EASY TO  
MAINTAIN



ECOLOGICALLY  
CRAFTED



LOW  
MAINTENANCE



IMPACT  
RESISTANCE



HIGH  
STRENGTH

7+  
UNIQUE &  
PUNCH  
PRODUCT  
DESIGN



# Application Areas & Application Possibilities


These R10+Punch finish tiles with modern patterns are an increasingly popular choice in modern interiors. Their non-reflective look and soothing color combinations offer a sophisticated ambiance to relax and unwind. Their impressive 11mm thickness makes them an ideal choice for places that see high foot traffic.

In hotel lobbies and bedrooms, they contribute to a warm and welcoming atmosphere, making guests feel at home. Their subtle texture also hides smudges and fingerprints, which reduces maintenance and ensures a consistently clean appearance, an essential quality for high-traffic hospitality spaces.

These tiles are ideal for spas and wellness centers, promoting a tranquil, natural environment. Their soft, muted tones mimic the look of natural stone and work beautifully with wooden and plant-based elements. These tiles also offer lower water resistance, making them a preferred choice in wet areas such as steam rooms, saunas, and massage spaces, offering long-lasting aesthetics. The understated beauty of R10+Punch tiles supports the overall design goals of relaxation and minimalism commonly found in wellness-oriented settings.

R10+Punch finish tiles are perfectly suited for terraces, patios, and swimming pool surrounds. They reduce the risk of slips while blending harmoniously with the natural surroundings. On terraces and outdoor seating areas, matt tiles withstand changing weather conditions without losing their visual appeal, making them a stylish and functional choice for exterior design in both commercial and residential settings.

- 1. Hotel & Spa Area
- 2. Restaurants & Café Area
- 3. Outdoor & Balcony Area
- 4. Terrace & Reading Area
- 5. Swimming Pool Area
- 6. Living Area







KOTA SERIES /  
SURFACE BOOK '25

## Table of Contents



Kota Adagio Taupe  
600x1200mm




Kota Bali Red  
600x1200mm




Kota Firenze Siena  
600x1200mm



Kota Letina Sand  
600x1200mm



Kota Limoges Oxidum  
600x1200mm



Kota Stone Netural  
600x1200mm



Kota Torino Ocre  
600x1200mm



KOTA  
ADAGIO TAUPE

KOTA SERIES /  
SURFACE BOOK '25

KOTA  
SERIES



Random - 6

Size:  
**600x  
1200mm**

Thickness:  
**11mm**

Finish:  
**R10+Punch**

Scan for  
360° Preview





**KOTA**  
**ADAGIO TAUPE**

KOTA SERIES /  
SURFACE BOOK '25





KOTA  
BALI RED

KOTA SERIES /  
SURFACE BOOK '25

KOTA  
SERIES




Random - 8

Size:  
**600x  
1200mm**

Thickness:  
**11mm**

Finish:  
**R10+Punch**

Scan for  
360° Preview





**KOTA  
BALI RED**

KOTA SERIES /  
SURFACE BOOK '25





KOTA  
FIRENZE SIENA

KOTA SERIES /  
SURFACE BOOK '25

KOTA  
SERIES



Random - 6

Size:  
**600x  
1200mm**

Thickness:  
**11mm**

Finish:  
**R10+Punch**

Scan for  
360° Preview





**KOTA  
FIRENZE SIENA**

KOTA SERIES /  
SURFACE BOOK '25





KOTA  
LETINA SAND

KOTA SERIES /  
SURFACE BOOK '25

KOTA  
SERIES



Random - 6

Size:  
**600x  
1200mm**

Thickness:  
**11mm**

Finish:  
**R10+Punch**



Scan for  
360° Preview





**KOTA**  
**LETINA SAND**

KOTA SERIES /  
SURFACE BOOK '25





KOTA  
LIMOGES OXIDUM

KOTA SERIES /  
SURFACE BOOK '25

KOTA  
SERIES



Random - 6

Size:  
**600x  
1200mm**

Thickness:  
**11mm**

Finish:  
**R10+Punch**

Scan for  
360° Preview





**KOTA**  
**LIMOGES OXIDUM**

KOTA SERIES /  
SURFACE BOOK '25






KOTA  
STONE NETURAL

KOTA SERIES /  
SURFACE BOOK '25

KOTA  
SERIES



Random - 4

Size:  
**600x  
1200mm**

Thickness:  
**11mm**

Finish:  
**R10+Punch**

Scan for  
360° Preview





**KOTA**  
**STONE NETURAL**

KOTA SERIES /  
SURFACE BOOK '25





KOTA  
TORINO OCRE

KOTA SERIES /  
SURFACE BOOK '25

KOTA  
SERIES



Random - 6

Size:  
**600x  
1200mm**

Thickness:  
**11mm**

Finish:  
**R10+Punch**



Scan for  
360° Preview











INSTRUCTIONS FOR  
MANUAL INSTALLATION


SINGLE LAYER METHOD



DOUBLE-LAYER METHOD



COMPRESSING THE SLAB



IMPORTANT

All cutout corners must have a minimum radius of 1/4". Avoid 90° angles. We recommend using a radius greater than 1/4" whenever the kitchen design allows, as it enhances the strength and durability of the countertop.



✓ CORRECT



✗ INCORRECT



✗ INCORRECT



✗ INCORRECT

CLEANING & MAINTENANCE

Our products are non-porous due to high-quality raw materials, stringent production parameters, and state-of-the-art technology. As a result, dust and waste cannot penetrate the surface.

In most cases, a damp cloth is sufficient for cleaning.

Regular cleaning enhances the aesthetic features of the surface and maintains its exceptional shine.

For more aggressive cleaning required by certain common foods and substances, please refer to the table below.

TYPES OF STAINS	CHEMICAL PRODUCTS	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Agents, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any stain be cleaned immediately for best results.

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	MOTTO VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	+0.5%	+0.2%	ISO 10545-2
Deviation in Thickness	+5%	+5%	ISO 10545-2
Straightness of Sides	+0.5%	+0.2%	ISO 10545-2
Rectangularity	+0.5%	+0.2%	ISO 10545-2
Surface Flatness	+0.5%	+0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	>90%	Gloss Meter 60'
Structural Properties			
Water Absorption	<0.5 %	<0.3%	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Repture	Min.35N/mm²	Min.40N/mm²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Mohs Hardness	As per Mfg.	Min. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.0x10 <sup>-6</sup>	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

PACKING DETAILS

Dimension (mm)	No. of Pcs/Box	Square Feet
600x1200mm	2 Pcs.	15.5 Sq. ft





## **MOTTO GROUP**

8-A, National Highway, Sartanpar Road, At. Sartanpar,  
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA

**Mail.** [info@mottogroup.in](mailto:info@mottogroup.in), **Web.** [www.mottogroup.in](http://www.mottogroup.in)

**Toll-free.** 1800 123 2124

**Call.** +91 95123 80072