

MOTTO[®]

Time & Temperature

WARM

600x1200mm



THE LINEAR DEPTH OF SURFACE

It's not just a tile, it's poetry carved in stone. With punch texture and a matt finish, this collection adds depth you can feel, not just see. Every line, every groove tells a story—bold, raw, and beautifully real. It's where design meets touch, and magic begins.

Warm series

In today's world, quality isn't optional—it's everything. That's why our new Warm series isn't just strong, it's smart. Built from sustainable materials, these tiles laugh in the face of fire, resist impact like a pro, and stand tall in any setting—be it your dream home or a buzzing workspace.

But strength alone isn't the story. These tiles care. They keep your spaces hygienic, safe, and healthy. So when you choose them, you're not just picking tiles. You're choosing a future that's cleaner, tougher, and a whole lot smarter.



Safe



Sustainable



Resistente



Fireproof



Hygienic



Versatile

THE STONE SENSATION
WITH GLORIOUS TEXTURE TRULY
EMPOWER AMBIANCE



A LAVISH YET CLASSY

Our Warm series is where creativity meets innovation, designed to elevate every space. It is designed for lavish charm of ambience as well as give a classy vibe. With five shades inspired by nature, each tile adds a unique touch to your interiors. Whether you love the warmth of earthy tones or the coolness of neutral hues, there's a perfect shade for every vision. With a Carving Matt finish and Punch Texture, these tiles are not just beautiful, they're practical.

Sized at 600x1200mm, they blend sleek style with slip resistance, ensuring safety without sacrificing elegance. Whether for your living room or a busy office, these tiles offer the perfect mix of design, durability, and functionality.

GLORIOUS DESIGN THAT PROVIDE EXCEPTIONAL FEEL

warm series

600x
1200mm


Our new 600x1200mm tiles are here to change the game. With their larger-than-life dimensions, they turn any room into an open canvas, creating an illusion of limitless space. Whether it's your living room, kitchen, or office, these tiles lay the foundation for a bold, continuous flow that oozes elegance.

Each tile commands attention, making the floor an integral part of your design story. The size doesn't just look good—it's a design powerhouse, offering endless possibilities to shape the vibe of your space. It's the perfect mix of scale and style, effortlessly turning your room into a masterpiece that speaks modern sophistication.



INDEX

warm
series




Warm Avorio



Warm Bianco



Warm Canapa



Warm Cenere



Warm Cotto



Warm Senape

warm series

Touch to



View




WARM AVORIO
02 random

600x1200mm
Carving Matt + Punch



WARM AVORIO
Decore 1

600x1200mm
Carving Matt + Punch



WARM AVORIO
Decore 2

600x1200mm
Carving Matt + Punch



MOTTO
Tiles & Bathware




warm series

Touch to



View

MOTTO
Tiles & Bathware




WARM BIANCO
02 random

600x1200mm
Carving Matt + Punch



WARM BIANCO
Decore 1

600x1200mm
Carving Matt + Punch



WARM BIANCO
Decore 2

600x1200mm
Carving Matt + Punch






warm series

Touch to



View



WARM CANAPA
02 random

600x1200mm
Carving Matt + Punch



WARM CANAPA
Decore 1

600x1200mm
Carving Matt + Punch



WARM CANAPA
Decore 2

600x1200mm
Carving Matt + Punch



MOTTO
Tiles & Bathware




warm series

Touch to



View

MOTTO
Tiles & Bathware




WARM CENERE
02 random

600x1200mm
Carving Matt + Punch



WARM CENERE
Decore 1

600x1200mm
Carving Matt + Punch



WARM CENERE
Decore 2

600x1200mm
Carving Matt + Punch






warm series

Touch to



View

MOTTO
Tiles & Bathware




WARM COTTO
02 random

600x1200mm
Carving Matt + Punch



WARM COTTO
Decore 1

600x1200mm
Carving Matt + Punch



WARM COTTO
Decore 2

600x1200mm
Carving Matt + Punch






warm series

Touch to



View

MOTTO
Tiles & Bathware




WARM SENAPE
02 random

600x1200mm
Carving Matt + Punch



WARM SENAPE
Decore 1

600x1200mm
Carving Matt + Punch



WARM SENAPE
Decore 2

600x1200mm
Carving Matt + Punch





CLEANING & MAINTENANCE

Our products are non-porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Dessalting Agents, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to be cleaned immediately, as soon as possible.

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/2018 EN5411 gr.250	MIN. VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	<0.5%	<0.2%	ISO 10646-2
Deviation in Thickness	<0%	<0%	ISO 10646-2
Straightness of Edges	<0.5%	<0.2%	ISO 10646-2
Rectangularity	<0.5%	<0.2%	ISO 10646-2
Surface Finish	<0.25	<0.25	ISO 10646-2
Color Difference	ΔE<1.00	ΔE<0.30	ISO 10646-10
Glossiness	As per Mfg.	>90%	Gloss Meter 007
Structural Properties			
Water Absorption	<0.5%	<0.2%	ISO 10646-2
Apparent Density	As Per Mfg.	>2.00 g/cm ³	ISO 10646-2
Massive Mechanical Properties			
Modulus of Rupture	Min. 200 N/mm ²	Min. 400 N/mm ²	ISO 10646-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10646-2
Impact Resistance	As per Mfg.	Min. 1.13J	ISO 10646-4
Surface Mechanical Properties			
Surface Hardness Resistance	As per Mfg.	Min. class 5	ISO 10646-7
Shore Hardness	As per Mfg.	Min. class 5	ISO EN 16777
Thermo Hygroscopic Properties			
Float Resistance	As Per Mfg.	Float Proof	ISO 10646-10
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10646-2
Moisture Resistance	Max. 0.03mm/yr	Max. 0.03mm/yr	ISO 10646-10
Thermal Expansion	Max. 2.0 x 10 ⁻⁵	Max. 0.01%	ISO 10646-2
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10646-10
Stain Resistance	Resistant	Resistant	ISO 10646-10
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	EN 16100
Fire Resistance	As per Mfg.	Fire Proof	N. A.

PACKING DETAILS

Dimension (mm)	No. of Pcs/Box	Square Feet
600x200mm	2 Pcs	15.0 Sq. ft.



MOTTO GROUP

8-A, National Highway, Sartanpar Road, At. Sartanpar,
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA.

Mail. info@mottogroup.in, **Web.** www.mottogroup.in

Toll-free. 1800 123 2124

Call. +91 95123 80072