

COLLECTION
2025 - 26



800x1600mm
9mm Thickness



**SETTING
STANDARDS
SINCE MORE THAN
TWO DECADE
OF EXPERIENCE**

We have been in the industry since 1999 and raising the standards in ceramic sector with our high standards and our certificates are the proof of that.

www.mottogroup.in



800x1600mm



FLEXIBLE BODY

ITALIAN TECHNOLOGY



Frost
Resistance



Anti-Slip
Surface



Increasing life
span of Tile



Different particle size to
get structure difference



Water
Resistance



High Abrasion
Resistance



Fire
Resistance



Long life surface like
natural wood



Creation of premium
range of tile (sumptuous)

TECHNICAL FEATURES

Crafted with precision and backed by advanced technology, our tiles are designed to meet the highest architectural standards. Their engineered body ensures long-lasting performance, while the surface finish delivers both strength and elegance. With meticulous detailing and refined structure, these tiles seamlessly combine durability with timeless aesthetics, making them a trusted choice for modern interiors and large-scale projects.

QUICK ACCESS INDEX

Navigate through the collection
with just one click.



GLOSSY SERIES :



QUICK ACCESS INDEX

Navigate through the collection
with just one click.



HIGH GLOSS SERIES :



PANDA
WHITE



HERITAGE
GREEN



HERITAGE
AQUA



PANDORA
CREMA



ATHENA
GREY



SOFITA
RED



BRILLIANT
GREEN



SELTO
BLACK



DOMUS
BLACK



PIGMENT
WAVE
PURPLE



VOLTERRA
BLACK



DOVER
BLACK



**800X
1600MM**

**GLOSSY
SURFACE**

STUNNING SLAB DESIGNS CREATING BRILLIANCE AND CHARM IN INTERIORS

The Glossy Surface collection of our large slabs showcases exceptional craftsmanship and elegance. Each design reflects luxury and sophistication with a flawless mirror like finish. Available in multiple captivating designs, these slabs bring brilliance and depth to any interior space. Their high quality surface ensures durability, easy maintenance, and lasting beauty, making them the perfect choice for modern architectural and interior design projects that demand both style and performance.

www.mottogroup.in



CALACATTA BELGIA



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



CALACATTA ORO



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



CALACATTA ICE



Size : 800x1600mm

Surface : Glossy


Design : Endless

Faces : 03

Scan For Virtual



CALACATTA LUXER



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



LILAC WHITE



Size : 800x1600mm

Surface : Glossy


Design : Endless

Faces : 03

Scan For Virtual




THASSOS WHITE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



ZARA WHITE



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



LASA WHITE



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 07

Scan For Virtual



LASA ELEGAN



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



STATUARIO MAGMA



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 03




LUXURY GOLD



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



REGOLA PEARL



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



CELEBRRA PINK



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



CELEBRRA PEARL



Size : 800x1600mm


Surface : Glossy

Design : Endless

Faces : 04



ICELAND WHITE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 06



TAJMAHAL ICE



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



TAJMAHAL NATURAL



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04



MARCONI BEIGE



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



MOTTO

Tiles & Bathware



MARCONI GREY



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



PIGMENT WAVE BIANCO



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



SOLOMAN WHITE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



CENIA GREY



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



NORWICH BEIGE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



OPTIMA ICE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 03



PANTO NATURAL



Size : 800x1600mm

Surface : Glossy


Design : Endless

Faces : 04

Scan For Virtual



DOLCE CASA



Size : 800x1600mm

Surface : Glossy


Design : Random

Faces : 06

Scan For Virtual



ANDRIX BEIGE



Size : 800x1600mm

Surface : Glossy


Design : Endless

Faces : 03

Scan For Virtual



ICE BURG



Size : 800x1600mm
Surface : Glossy
Design : Book Match
Faces : 02



ANGEL CREMA



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



ANGEL GREY



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



VEGAS GREY



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 03



VENEZIA ALMOND



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



VENEZIA OAT




Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual




BARLIN GREY



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 03




SPACE WHITE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Face : 01



SPACE DECOR WHITE



Size : 800x1600mm
Surface : Glossy
Face : 01



BELA BIANCO



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



BELA GREY



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



BELA LIME



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



BELA CREMA



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



BELA BROWN



Size : 800x1600mm

Surface : Glossy


Design : Endless

Faces : 04

Scan For Virtual



CELESTE ONYX



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



JADE ONYX



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



HUALIEN BIANCO



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



HUALIEN JADE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



AVORIO GREY



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



ROVERI BEIGE



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



ROVERI GREY



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



SELVA GREY



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



ATLAS CREMA



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



CLOVER BEIGE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04



CASTANO GREY



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04

Scan For Virtual



CASTANO GRIS



Size : 800x1600mm

Surface : Glossy

Design : Endless

Faces : 04


Scan For Virtual



CASTANO BEIGE



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04




CASTANO BROWN



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 04




STROM GREY



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 03



STROM GRIS



Size : 800x1600mm
Surface : Glossy
Design : Endless
Faces : 03



**800X
1600MM**

**HIGH GLOSS
SURFACE**


LUXURIOUS SURFACES OFFERING UNMATCHED SHINE AND CHARISMATIC PATTERNS

The High Gloss Surface embodies brilliance and artistry. Its multi color and dazzling designs create a visual masterpiece with mesmerizing patterns and flowing veins that enhance depth and movement. Each slab has an exceptional high gloss meter rating, ensuring unmatched shine and reflective beauty. Perfect for luxurious interiors, these surfaces combine elegance, durability, and stunning aesthetics to transform any environment into a captivating and timeless space.

www.mottogroup.in



PANDA WHITE



Size : 800x1600mm
Surface : High Glossy
Design : Endless
Faces : 04



HERITAGE GREEN



Size : 800x1600mm
Surface : High Glossy
Design : Random
Faces : 04



HERITAGE AQUA



Size : 800x1600mm
Surface : High Glossy
Design : Random
Faces : 04




PANDORA CREMA



Size : 800x1600mm
Surface : High Glossy
Design : Random
Faces : 04




ATHENA GREY



Size : 800x1600mm
Surface : High Glossy
Design : Endless
Faces : 04




SOFITA RED



Size : 800x1600mm
Surface : High Glossy
Design : Endless
Faces : 04



BRILLINT GREEN




Size : 800x1600mm
Surface : High Glossy
Design : Endless
Faces : 04

Scan For Virtual




SELTO BLACK



Size : 800x1600mm
Surface : High Glossy
Design : Endless
Faces : 04




DOMUS BLACK



Size : 800x1600mm
Surface : High Glossy
Design : Random
Faces : 04




PIGMENT WAVE PURPLE



Size : 800x1600mm
Surface : High Glossy
Design : Endless
Faces : 04




VOLTERRA BLACK



Size : 800x1600mm
Surface : High Glossy
Design : Endless
Faces : 04



DOVER BLACK



Size : 800x1600mm
Surface : High Glossy
Design : Random
Faces : 03



WORKING WITH THE VARIOUS VERSIONS OF TILES FINISH

CUTTING WITH DIAMOND DISCS



Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (<1 in/min). It may be required to cool the disc with water. Recommended discs are the thin types generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath

DRILLING



You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, electrical drills as an alternative.

INTERNAL CUT / L-SHAPED CUT





To get internal and L-shaped corners & to reduce the risk of breakage, round o the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.

When using these tools:

- Cool the point being drilled with water
- Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
- If you are using tungsten bits, start drilling at a low speed
- If you are using drills or screwdrivers, do not select hammering mode



EDGE-FINISHING



MANUALLY TRANSPORTING PORCELAIN FINISH

Only for 1/4- Slabs

MOVING OUR TILES



RAISING TILE ONTO A BENCH




✗ INCORRECT




✓ CORRECT

HANDLING TILES FOR WALL



✗ INCORRECT



✓ CORRECT

CLEANING & MAINTENCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, NailPaint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydra Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 EN14411 g/b/a	MOTTO VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	+0.5%	+0.2%	ISO 10545-2
Deviation in Thickness	+5%	+5%	ISO 10545-2
Straightness of Sides	+0.5%	+0.2%	ISO 10545-2
Rectangularity	+0.5%	+0.2%	ISO 10545-2
Surface Flatness	+0.5%	+0.3%	ISO 10545-2
Colour Difference	AE<1.00	AE<0.30	ISO 10545-16
Glossiness	As per Mfg.	As Per Mfg.	GlossMeter
Structural Properties			
Water Absorption	<0.5 %	<0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Repture	Min.35N/mm ²	Min.40N/mrn ²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

PACKING DETAILS

Dimension (mm)	No. of PC's/Box	Square Feet
800x1600mm	2 Pcs.	27.5 Sq. Feet



MOTTO GROUP

8-A, National Highway, Sartanpar Road, At. Sartanpar,
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA

Mail. info@mottogroup.in, **Web.** www.mottogroup.in

Toll-free. 1800 123 2124

Call. +91 95123 80072

Scan for Catalogue

