




CERAMIC INNOVATION



HI-GLOSS COLLECTION



800x1600mm

9mm Thickness

ABOUT US

The grand inception of this pioneering organization took place more than a decade ago. Since its inception, Motto Group has become a leading Indian manufacturer and exporter of ceramic and vitrified tiles all around the globe. Its manufacturing unit in Morbi, Gujarat has a production capacity of

13,000 Sq. Mtrs. per day. With the latest technologies and modern machinery in its infrastructure, the group has been able to increase its production capacity significantly since its establishment. Motto is not only stunning the world with its enchanting product range but is also letting its customers.




FLEXIBLE BODY

ITALIAN TECHNOLOGY

MARBLE +

NEW ARRIVAL



ONYX AZURE

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
End Less (3 Phase)




MOTTO
FUTURE SURFACES

FLEXIBLE BODY

ITALIAN TECHNOLOGY

MARBLE +

NEW ARRIVAL



ONYX NEON

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
End Less (3 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +

NEW ARRIVAL

**ONYX OLIVE**Available size :
800x1600mmFinish
Hi-GlossThickness
9mmDesign
End Less (3 Phase)**MOTTO**
FUTURE SURFACES

M A R B L E +

NEW ARRIVAL




ONYX PEACH

Available size :
800x1600mmFinish
Hi-GlossThickness
9mmDesign
End Less (3 Phase)MOTTO
FUTURE SURFACES

M A R B L E +

NEW ARRIVAL

**ONYX PURPLE**Available size :
800x1600mmFinish
Hi-GlossThickness
9mmDesign
End Less (3 Phase)**MOTTO**
FUTURE SURFACES

FLEXIBLE BODY

ITALIAN TECHNOLOGY

M A R B L E +

NEW ARRIVAL



ONYX TEAL

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm


Design
End Less (3 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +

NEW ARRIVAL

**ONYX THUNDER**Available size :
800x1600mmFinish
Hi-GlossThickness
9mmDesign
End Less (3 Phase)**MOTTO**
FUTURE SURFACES

FLEXIBLE BODY

ITALIAN TECHNOLOGY

MARBLE +

NEW ARRIVAL



CORAL DARK

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
End Less (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



AQUA LIMO

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
Random (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



BLUE LIMO

Available size :
800x1600mm


Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)



M A R B L E +



SOFT ART BLUE

Available size:
800x1600mm


Finish
Hi-Gloss

Thickness
9mm

Design
End Less (1 Phase)



M A R B L E +



ROYAL ONYX GREY

Available size :
800x1600mm


Finish
Hi-Gloss

Thickness
9mm

Design
Random (3 Phase)



M A R B L E +



SAHARA BLACK

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
End Less (3 Phase)



MOTTO
FUTURE SURFACES

 FLEXIBLE BODY

ITALIAN TECHNOLOGY

MARBLE +



PIETRA NERO

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
End Less (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



PORTORO BLACK

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)



M A R B L E +



BLACK MARQUINA

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
Random (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



ESTADA

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
Random (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



SAINT LAURENT

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
Random (4 Phase)



MOTTO
FUTURE SURFACES

M ARBLE +



EMERALD JADE

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
End Less (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



FOREST BROWN

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
Random (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



NATURAL BROWN

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
Random (3 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



SAMELESS ROCK

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)




MOTTO
FUTURE SURFACES

 FLEXIBLE BODY

ITALIAN TECHNOLOGY

MARBLE +



CRYSTAL BROWN

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (3 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



MARMOR BLACK

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
End Less (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



EMPERADOR DARK

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



ONYX BROWN

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (5 Phase)



MOTTO
FUTURE SURFACES

FLEXIBLE BODY

ITALIAN TECHNOLOGY

MARBLE +



ARMANI BROWN

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



ROYAL ONYX AZUL

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (3 Phase)



MOTTO
FUTURE SURFACES

M ARBLE +



MARMOR AZUL

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
END LESS (4 Phase)



MOTTO
FUTURE SURFACES

M A R B L E +



VOLGA BLUE

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)



MOTTO
FUTURE SURFACES


A close-up photograph of a woman's face. The lighting is dramatic, with one side of her face in deep shadow and the other in bright light, creating a high-contrast effect. She has dark hair pulled back and is wearing dark, smoky eye makeup. Her lips are painted with a vibrant, multi-colored shade that appears to be a gradient of pink, red, and blue. A large, stylized logo for 'B&E' is overlaid on the image. The letter 'B' is a thick, black, outlined rectangle, and the letter 'E' is a black circle containing a stylized, swirling 'E' shape. The background is a soft, out-of-focus gradient of pink, yellow, and blue.

BEAUTY & ELEGANCE



The B&E Collection by Motto has been inspired by nature's eternal Beauty and Elegance, which is clearly visible in every surface.

Be3



AMAZON GREEN

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (5 Phase)



MOTTO
FUTURE SURFACES

Be3

**FOREST GREEN**Available size :
800x1600mmFinish
Hi-GlossThickness
9mmDesign
Random (4 Phase)

BQ3



RED ROCK

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
Random (3 Phase)



MOTTO
FUTURE SURFACES

Be3

**RED ONYX**Available size :
800x1600mmFinish
Hi-GlossThickness
9mmDesign
Random (4 Phase)**MOTTO**
FUTURE SURFACES

APPLICATIONS

Leading towards the enhancement of our lives, we apt to do the impossible. Same goes round here as well. Utilizing the state of the art technology, we are here to mesmerize you with surfaces which are applicable in many various spaces. These high end surfaces can be applied on the spaces which appreciates durability & endurance.



RESIDENTIAL



RESTAURANT



GARDEN & POOL



SHOPS



HOTELS



MALLS



OFFICE



PUBLIC SPACES




TRAIN STATION



AIRPORTS

FEATURES



STRONG : Strength is the inherent feature of our indeed creation. We strive to deliver a melange of strength, craftsmanship, and size delivering function benefits as per the requirement of ambience



LIGHT : Subtleness with strong identity yet light in weight. Create interiors that interact with the architectural space with a refined look





SELF LEVELLING : This next level feature create a smooth and even surface which makes it the most convenient among all.





GREEN : At Motto Group, we are committed to the environment and recognize that sustainability is an significant and crucial part of our journey, we make it happen by producing trendsetting tiles in a zero-waste manufacturing process.

MANUALLY TRANSPORTING IMMODERATE

MOVING A IMMODERATE TILE





RAISING A IMMODERATE TILE ONTO A BENCH



✗ INCORRECT

✓ CORRECT

HANDLING IMMODERATE TILE FOR WALL





✗ INCORRECT

✓ CORRECT



WORKING WITH THE VARIOUS VERSIONS OF IMMODERATE

CUTTING WITH DIAMOND DISCS



Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (<1 m/min). It may be required to cool the disc with water. Recommended discs are the thin types generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath

DRILLING



You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, electrical drills as an alternative.

INTERNAL CUT / L-SHAPED CUT





To get internal and L-shaped corners & to reduce the risk of breakage, round off the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.

When using these tools:

- Cool the point being drilled with water
- Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
- If you are using tungsten bits, start drilling at a low speed
- If you are using drills or screwdrivers, do not select hammering mode

EDGE-FINISHING



CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach


Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

PACKING DETAILS

DIMENSION (mm)	SLAB	SQ. METER	SQ. FEET	WEIGHT (APPROX)
800x1600	2	2.56	27.55	52 Kgs.

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14411 gr.blb	MOTTO VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO 10545-2
Deviation in Thickness	±5%	±5%	ISO 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO 10545-2
Rectangularity	±0.5%	±0.2%	ISO 10545-2
Surface Flatness	±0.5%	±0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	>90%	Gloss Meter 60°
Structural Properties			
Water Absorption	≤0.5 %	≤0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Rupture	Min.35N/mm ²	Min.40N/mm ²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.



MOTTO GROUP

8-A, National Highway, Sartanpar Road, At. Sartanpar,
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA

Mail. info@mottogroup.in, **Web.** www.mottogroup.in

Toll-free. 1800 123 2124

Call. +91 95123 80072