

MOTTO®
Tiles & Bathware



CARPET
S E R I E S


200x200mm

CARPET S E R I E S

Discover our exquisite 200x200mm tile collection featuring Digimatt and Digimatt 5.0 finishes. Each tile is crafted to perfection, offering a smooth yet bold aesthetic ideal for both modern and traditional spaces. The finish ensures durability while adding a soft, refined texture.

With 20 distinct designs, this collection beautifully reflects the richness of Indian art and culture. From intricate patterns to timeless motifs, each tile brings warmth and character, creating a truly mesmerizing ambiance in any setting.

The Echoes of Indian Spirit





Available Size
200x200mm

Finish
Digimatt
Digimatt 5.0

Relish the Elite Sensation

This tile collection features advanced Digimatt and Digimatt 5.0 finishes, offering a smooth, anti-reflective surface with enhanced durability. These finishes add depth and elegance, perfect for sophisticated interiors. Available in unique designs inspired by Indian art and culture, the collection brings tradition and texture together to create a stunning, ambient space.

Incredible Features

Our tiles are crafted for unmatched durability and performance. Boasting high load and frost resistance, they endure harsh conditions without compromising their beauty.

The easy installation process saves time, while the anti-slip finish enhances safety, making them ideal for any space. Experience the perfect blend of elegance and functionality with us.

-  Frost Resistance
-  High Load Resistance
-  Thermal Impact
-  Anti-slip Finish
-  Removable & Reuse
-  Easy to Install
-  Chemical Resistance
-  Ecological Finish
-  Fire Proof

Application Areas

Ideal for both walls and floors, our tiles enhance any space with their stunning designs. Create a seamless blend of beauty and practicality in residential and commercial settings.

-  Wall
-  Floor




LEVELS BEIGE
DECOR 2001 A | B | C

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula




LEVELS BEIGE
DECOR 2001 A



LEVELS BEIGE
DECOR 2001 B



LEVELS BEIGE
DECOR 2001 C



LEVELS BEIGE





LEVELS BEIGE DECOR 2001 A | B | C



SMALLTILE



LEVELS BIRCH DECOR 2002 A | B | C

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula

360°



LEVELS BIRCH
DECOR 2002 A



LEVELS BIRCH
DECOR 2002 B



LEVELS BIRCH
DECOR 2002 C



LEVELS BIRCH



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS BIRCH DECOR 2002 A | B | C



SMALLTILE



LEVELS BLACK DECOR 2003 A | B | C

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula

360°



LEVELS BLACK
DECOR 2003 A




LEVELS BLACK
DECOR 2003 B



LEVELS BLACK
DECOR 2003 C



LEVELS BLACK



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS BLACK DECOR 2003 A | B | C



SMALLTILE




LEVELS COBALT DECOR 2004 A | B | C

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula

360°




LEVELS COBALT
DECOR 2004 A




LEVELS COBALT
DECOR 2004 B



LEVELS COBALT
DECOR 2004 C



LEVELS COBALT



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS COBALT DECOR 2004 A | B | C



SMALLTILE

MOTTO®
Tiles & Bathware

LEVELS FOREST DECOR 2005 A | B | C

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula

360°



LEVELS FOREST
DECOR 2005 A




LEVELS FOREST
DECOR 2005 B



LEVELS FOREST
DECOR 2005 C



LEVELS FOREST



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS FOREST DECOR 2005 A | B | C




LEVELS MARIGOLD
DECOR 2006 A | B | C

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



LEVELS MARIGOLD
DECOR 2006 A



LEVELS MARIGOLD
DECOR 2006 B



LEVELS MARIGOLD
DECOR 2006 C



LEVELS MARIGOLD





LEVELS MARIGOLD DECOR 2006 A | B | C



SMALLTILE

MOTTO®
Tiles & Bathware


LEVELS RED DECOR 2007 A B C

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula

360°



LEVELS RED
DECOR 2007 A



LEVELS RED
DECOR 2007 B



LEVELS RED
DECOR 2007 C



LEVELS RED



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS RED DECOR 2007 A | B | C



SMALLTILE



LEVELS SAND DECOR 2008 A | B | C

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula

360°



LEVELS SAND
DECOR 2008 A



LEVELS SAND
DECOR 2008 B



LEVELS SAND
DECOR 2008 C



LEVELS SAND



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS SAND DECOR 2008 A | B | C



SMALLTILE



LEVELS BLACK DECOR 3003 A | B | C

Size:
200x200mm

Finish:
Digimatt 5.0



LEVELS BLACK
DECOR 3003 A




LEVELS BLACK
DECOR 3003 B



LEVELS BLACK
DECOR 3003 C



LEVELS WHITE



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS BLACK DECOR 3003 A | B | C




SMALLTILE



LEVELS TEAL DECOR 3004 A | B | C

Size:
200x200mm

Finish:
Digimatt 5.0



LEVELS TEAL
DECOR 3004 A




LEVELS TEAL
DECOR 3004 B



LEVELS TEAL
DECOR 3004 C



LEVELS WHITE



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS TEAL DECOR 3004 A | B | C



SMALLTILE



LEVELS BRICH DECOR 3005 A | B | C

Size:
200x200mm


Finish:
Digimatt 5.0



LEVELS BRICH
DECOR 3005 A




LEVELS BRICH
DECOR 3005 B



LEVELS BRICH
DECOR 3005 C



LEVELS BEIGE



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS BRICH DECOR 3005 A | B | C



SMALLTILE



LEVELS COBALT DECOR 3006 A | B | C

Size:
200x200mm

Finish:
Digimatt 5.0



LEVELS COBALT
DECOR 3006 A




LEVELS COBALT
DECOR 3006 B



LEVELS COBALT
DECOR 3006 C



LEVELS WHITE



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





LEVELS COBALT DECOR 3006 A | B | C



SMALLTILE




INFUSION DECOR A | B | C

Size:
200x200mm


Finish:
Digimatt 5.0



INFUSION
DECOR A




INFUSION
DECOR B



INFUSION
DECOR C



LEVELS WHITE



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





INFUSION DECOR A | B | C



SMALLTILE




PROVENZA DECOR A | B | C

Size:
200x200mm


Finish:
Digimatt 5.0



PROVENZA
DECOR A



PROVENZA
DECOR B



PROVENZA
DECOR C



LEVELS BEIGE



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





PROVENZA DECOR A I B I C



RUBIC BLACK
DECOR A | B | C

Size:
200x200mm


Finish:
Digimatt 5.0



RUBIC BLACK
DECOR A



RUBIC BLACK
DECOR B



RUBIC BLACK
DECOR C



RUBIC BLACK





RUBIC BLACK DECOR A | B | C



SMALLTILE




RUBIC COBALT DECOR A I B I C

Size:
200x200mm


Finish:
Digimatt 5.0



RUBIC COBALT
DECOR A



RUBIC COBALT
DECOR B



RUBIC COBALT
DECOR C



RUBIC COBALT



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





RUBIC COBALT DECOR A | B | C



SMALLTILE



RUBIC DIMGRAY DECOR A | B | C

Size:
200x200mm


Finish:
Digimatt 5.0



RUBIC DIMGRAY
DECOR A



RUBIC DIMGRAY
DECOR B



RUBIC DIMGRAY
DECOR C



RUBIC DIMGRAY



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





RUBIC DIMGRAY DECOR A I B I C



SMALLTILE




RUBIC FOREST DECOR A | B | C

Size:
200x200mm


Finish:
Digimatt 5.0



RUBIC FOREST
DECOR A



RUBIC FOREST
DECOR B



RUBIC FOREST
DECOR C



RUBIC FOREST



Italian Technology

MINIMUM 3MM
SPACER MANDATORY







SMALLTILE




RUBIC PLUM DECOR A | B | C

Size:
200x200mm


Finish:
Digimatt 5.0



RUBIC PLUM
DECOR A




RUBIC PLUM
DECOR B



RUBIC PLUM
DECOR C



RUBIC PLUM



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





RUBIC PLUM DECOR A I B I C




SMALLTILE



RUBIC YELLOW DECOR A | B | C

Size:
200x200mm


Finish:
Digimatt 5.0



RUBIC YELLOW
DECOR A




RUBIC YELLOW
DECOR B



RUBIC YELLOW
DECOR C



RUBIC YELLOW



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





RUBIC YELLOW DECOR A | B | C

CLEANING & MAINTENCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018 En14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MAIN VALUE OF MOTTO
*Un-Rectified (Which is Lower)				
Regulatory Properties				
Deviation in Length and Width	±0.60% (±2.0%)	±0.40%	ISO 10545-2/IS 13630-1	±0.40%
Deviation in Thickness	±5.0% (±0.50%)	±5.0%	ISO 10545-2/IS 13630-1	±5.0%
Straightness in Side	±0.50% (±1.5%)	±0.30%	ISO 10545-2/IS 13630-1	±0.30%
Rectangularity	±0.50% (±2.0%)	±0.30%	ISO 10545-2/IS 13630-1	±0.30%
Surface Flatness Central Curvature	±0.50% (±2.0%)	±0.50%	ISO 10545-2/IS 13630-1	±0.40%
Surface Flatness Edge Curvature	±0.50% (±2.0%)	±0.50%	ISO 10545-2/IS 13630-1	±0.40%
Surface Flatness Warpage	±0.50% (±2.0%)	±0.50%	ISO 10545-2/IS 13630-1	±0.40%
Surface Quality	>95% defect free	>95% defect free	ISO 10545-2/IS 13630-1	>95% defect free
Samll Colour Difference (for Plain Colour)	ΔE<1.0	N.A.	ISO 10545-16	ΔE<0.30
Structural Properties				
Water Absorption	Ev≤0.50% Individual Max:0.6%	Ev≤0.08% Individual Max:0.1%	ISO 10545-3/IS 13630-2	Ev≤0.08% Individual Max:0.1%
Bulk Density	As per Manufacturer	Min. 2.20 gm/cc	ISO 10545-3/IS 13630-2	>2.28 gm/cc
Massive Mechanical Properties				
Modulus of Rupture	Min 35.0N/mm2, Invidual 32n/mm2 Min	Average 35.0 N/mm2, Invidual 32 N/mm2 Min	ISO 10545-4/IS 13630-6	Min. 40.0 N/mrn2
Breaking Strength Thickness ≥7.5mm	Min. 1300.00N	Min. 1300.0N	ISO 10545-4/IS 13630-6	Min. 1500.0N
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 1577/IS 13630-13	Min. 5
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/IS 13630-11	Min. Class II
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02mm/m	ISO 10545-10/IS 13630-3	Nil
Thermal Expansion (COE) at 100 °C	As per Manufacturer	Max. 6x10-6 k	ISO 10545-8/IS 13630-4	Max. 6.0x10-6
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9/IS 13630-5	Min. 10 Cycle
Impact Resistance (COR) #	As per Manufacturer	Min. 055	ISO 10545-5/IS 13630-14	Min. 055
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/IS 13630-10	Frost Proof
Crazing Resistance at 7.5 bar	As per Manufacturer	4 Cycle	ISO 10545-11/IS 13630-9	6 Cycle
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min. Class 1	ISO 10545-14/IS 13630-7	Min. Class 4/Min. Class 1
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min. Class GB	Min. Class AA	ISO 10545-13/IS 13630-8	Min. Class GB/Min Class AA
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO 10545-13/IS 13630-8	Min. Class GLB***/ Min. Class A***
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO 10545-13/IS 13630-8	Min. Class GHB***/ Min. Class B***
Safety Properties				
Skid Resistance (DCOF-WET PENDULUM) ##	As per Manufacturer	As per Manufacturer	BS 7976-2	Stain /Mat ≥P1
Lead and Cadmium Release	As per Manufacturer	NA	ISO-10545-15	Dose not yield Pb & Cd

**Whichever is lower
***Except Hydrofluoric Acid and its compound
#Tiles intended for use on floor
##For Floor Tiles, as per customer requirement

PACKING DETAILS

SIZE	ACTUAL SIZE	TILES/BOX	COVERAGE AREA/BOX	
20x20cm	200x200mm	24 pcs.	0.96 m²	10.33 ft²



MOTTO GROUP

8-A N. H., Sartanpar Road, At. Sartanpar, Ta. Wankaner, Morbi - 363 621, Gujarat, India.
Email: info@mottogroup.in | www.mottogroup.in
Toll Free Number: 1800 123 2124 / +91 95123 80072